


xpressions (:)) IEX

XPR_CONNEX_POWER PLAY2







В	Skin	Size	
28″		28″	w
		Х	<u> </u>
	28"	28″	Н
		1x1 Flat Front Shown as it will appear on the Xpressions unit	
1x1 Flat Front			




It is recommended that all text and borders be 2" from the finish size





1x3 Flat (Template at full size)




IMPORTANT ART REQUIREMENTS AND UPLOAD INSTRUCTIONS:

Please review our graphic requirements before preparing your layouts. Files that do not meet our requirements will be rejected. Click link... http://www.american-image.com/trade-show-displays/submit.shtml

Print Size: 29.5"w x 84.5"h Final Size: 28"w x 83"h X-FACTOR (Live Area) Shown: 3" in on all sides

X-FACTOR: 3-5" in on all sides. 3" in allows for moderate amount of distortion, while 5" eliminates distortion almost altogether. If NO distortion is the desired result, please contact your Graphic Support Representative.




1x1 Flat Front (Template at full size)

IMPORTANT ART REQUIREMENTS AND UPLOAD INSTRUCTIONS:


Please review our graphic requirements before preparing your layouts. Files that do not meet our requirements will be rejected. Click link... http://www.american-image.com/trade-show-displays/submit.shtml

Print Size: 29.5"w x 29.5"h Final Size: 28"w x 28"h X-FACTOR (Live Area) Shown: 3" in on all sides

X-FACTOR: 3-5" in on all sides. 3" in allows for moderate amount of distortion, while 5" eliminates distortion almost altogether. If NO distortion is the desired result, please contact your Graphic Support Representative.



1x3 Thread (Template at full size)



IMPORTANT ART REQUIREMENTS AND UPLOAD INSTRUCTIONS:

Please review our graphic requirements before preparing your layouts. Files that do not meet our requirements will be rejected. Click link... http://www.american-image.com/trade-show-displays/submit.shtml

Print Size: 29.5"w x 85.5"h Final Size: 28"w x 84"h X-FACTOR (Live Area) Shown: 3" in on all sides

X-FACTOR: 3-5" in on all sides. 3" in allows for moderate amount of distortion, while 5" eliminates distortion almost altogether. If NO distortion is the desired result, please contact your Graphic Support Representative.