


xpressions ()) NEX


XPR_CONNEX_OCTAGON






It is recommended that all text and borders be 2" from the finish size






XSnap Connex 1x3 Hourglass (Template at full size)




IMPORTANT ART REQUIREMENTS AND UPLOAD INSTRUCTIONS:

Please review our graphic requirements before preparing your layouts. Files that do not meet our requirements will be rejected. Click link... http://www.american-image.com/trade-show-displays/submit.shtml

Print Size With Bleed: 31.8306"w x 91.0448"h Trim Size: 30.8306"w x 90.0448"h Final Size: 29.0451"w x 88.6698"h



1x3 Flat (Template at full size)



IMPORTANT ART REQUIREMENTS AND UPLOAD INSTRUCTIONS:

Please review our graphic requirements before preparing your layouts. Files that do not meet our requirements will be rejected. Click link... http://www.american-image.com/trade-show-displays/submit.shtml

Print Size: 29.5"w x 84.5"h Final Size: 28"w x 83"h X-FACTOR (Live Area) Shown: 3" in on all sides

X-FACTOR: 3-5" in on all sides. 3" in allows for moderate amount of distortion, while 5" eliminates distortion almost altogether. If NO distortion is the desired result, please contact your Graphic Support Representative. Consult http://www.visproducts.com for comprehensive file prep and set up guides.