



[www.american-image.com](http://www.american-image.com)

## PULSE display details & setup instructions

**nimlok**®  
authorized distributor

# pulse counter 01

PC-01

The pulse counter 01 is an excellent addition to a variety of backwall displays and exhibits. Use this sturdy, stand alone counter in a variety of situations to display your products and literature as well as house items inside two locking doors.



## features and benefits:

- Secure locking doors
- Choose from four tabletop finishes and four laminate base colors
- Easy step-by-step instructions
- Lifetime warranty on hardware against manufacturer defects

## dimensions:

### Hardware

Counter dimensions: 64"w x 40"h x 20"d  
1625.6mm(w) x 1016mm(h) x 508mm(d)

### Shipping

Shipping dimensions - ships in 1 case  
WMC-12x6 case:  
52"l x 30"w x 15"h  
1320.8mm(l) x 762mm(w) x 381mm(h)

Approximate shipping weight (entire kit):  
120 lbs/54.4 kg

## additional information:

Counter holds max weight 50 lbs/22.7 kg

Tabletop color options:



silver



black



mahogany



natural

Counter color options:



dove  
gray



black



designer  
white





fusion  
maple

**nimlok**





**pulse**

Parts included	
Part Label	Qty
C1	x1
C2	x1
C3	x1
C4	x1
C5	x1
C6	x1
C7	X2
L180N-980	x2






## Step 1.

Lock C5 into the PE on C3 and C1 using the detail below. Lock C6 into the PE on C4 and C2 using the detail below. Push both completed halves of the counter together and secure by sliding the L180Ns into the channels as shown in detail below.




## Step 2.

Lock the C7s together using the attachment detail below. Place completed top onto base. Open the doors and lock top to base using detail below.




### COUNTER LOCKS



Place counters together and lock using the hex wrench.

### TOP TO BASE LOCK



Lock Panel by using T handle tool.