



[www.american-image.com](http://www.american-image.com)

## PULSE display details & setup instructions

**nimlok**®  
authorized distributor

# pulse counter 02

PC-02

The pulse counter 02 is an excellent addition to a variety of backwall displays and exhibits. Use this sturdy, stand alone counter in a variety of situations to display your products and literature as well as house items inside two locking doors.



## features and benefits:

- Locking doors
- Choose from four tabletop finishes and four laminate base colors
- Easy step-by-step instructions
- Lifetime warranty on hardware against manufacturer defects

## dimensions:

### Hardware

Counter dimensions: 64"w x 40"h x 20"d  
1625.6mm(w) x 1016mm(h) x 508mm(d)

### Shipping

Shipping dimensions - ships in 1 case  
WMC-12x6 case:  
52"l x 30"w x 15"h  
1320.8mm(l) x 762mm(w) x 381mm(h)

Approximate shipping weight (entire kit):  
120 lbs/54.4 kg

## additional information:

Counter holds max weight 50 lbs/22.7 kg

Tabletop color options:



silver



black



mahogany



natural

Counter color options:



dove  
gray



black



designer  
white





fusion  
maple






**nimlok**

**pulse**

Parts included	
Part Label	Qty
C1	x1
C2	x1
C3	x1
C4	x1
C5	x1
C6	x1
C7	X2
L180N-980	x2



Code	#	Description
C4	1	982.5MM X 536.5MM PANEL
C3	1	982.5MM X 536.5MM DOOR PANEL
C2	1	982.5MM X 536.5MM DOOR PANEL
C1	1	982.5MM X 536.5MM DOOR PANEL
C6	1	SIDE PANEL
C5	1	SIDE PANEL
L180N-980	2	980MM(38 1/2") 180N DEGREE SILVER LINK EXTR
PE-1	1	300MM PE EXTRUSION



1. Redesign of this exhibit without approval by Nimlok may result in dangerous and unsafe structures. Nimlok disclaims any responsibility for redesigned exhibits it does not approve in writing.

2. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table as reference. "Nominal" refers to approximate size.





2400mm = (94 1/2")	Phone Line / Fax
2100mm = (82 5/8")	Internet connection
1800mm = (70 7/8")	Outlet
1500mm = (59")	Outlet
1200mm = (47 1/4")	Main Drop
900mm = (35 1/2")	(point of distrution)
600mm = (23 5/8")	
300mm = (11 7/8")	

Wire running under carpet

WORKSTATIONS/  
PULSE KITS

**nimlok**  
Nimlok Company  
7420 N. Lehigh Avenue  
Niles, Illinois 60714-4024  
Phone: 847-647-1012  
Fax: 847-647-2044  
www.nimlok.com

Code	#	Description
C7	1	COUNTER TOP



1. Redesign of this exhibit without approval by Nimlok may result in dangerous and unsafe structures. Nimlok disclaims any responsibility for redesigned exhibits it does not approve in writing.

2. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table as reference. "Nominal" refers to approximate size.

2400mm = (84 1/2")	Phone Line / Fax
2100mm = (82 5/8")	Internet connection
1800mm = (70 7/8")	Outlet
1500mm = (59")	Main Drop (point of distrution)
1200mm = (47 1/4")	
900mm = (35 1/2")	
600mm = (23 5/8")	
300mm = (11 7/8")	

--- Wire running under carpet ---

#### WORKSTATIONS/ PULSE KITS

**nimlok.**  
Nimlok Company  
7420 N. Lehigh Avenue  
Niles, Illinois 60714-4024  
Phone: 847-647-1012  
Fax: 847-647-2044  
www.nimlok.com