



www.american-image.com

PULSE display details & setup instructions

nimlok®
authorized distributor

pulse kit 01

PK-1
Pulse is a collection of cleverly-designed state-of-the-art 10' exhibit booths. Pulse combines light-weight aluminum structures with pillowcase dye-sublimated printed fabric graphics for a truly unique appearance and experience. Pulse is efficient, easy to assemble and disassemble and offers remarkable style options and choices.



features and benefits:

- State-of-the-art snap button aluminum structure
- Frame constructed of 30mm lightweight aluminum tube
- High-quality dye-sublimated zipper pillowcase graphics
- Easy step-by-step instructions
- Kit includes two frames, one rigid graphic accent, two fabric pillowcase graphics, and two wheeled molded cases
- Lifetime warranty on hardware against manufacturer defects

dimensions:

Hardware	Graphic
Assembled unit: 117.5"w x 92"h x 47"d 2984.5mm(w) x 2336.8mm(h) x 1193.8mm(d)	Foreground: Total visible area: 111.8"w x 92"h 2839.72mm(w) x 2336.8mm(h) Background: Total visible area: 114"w x 92"h 2895.6mm(w) x 2336.8mm(h)
Shipping	Header: Total visible area: 47.836"w x 14.0375"h 1215mm(w) x 9052.56mm(h) Refer to related graphic templates for more information
Shipping dimensions - ships in 2 cases Two MGC50 cases, each: 19"l x 19"w x 56"h 482.6mm(l) x 482.6mm(w) x 1422.4mm(h) Approximate shipping weight (entire kit): 120 lbs/54.4 kg	



additional information:

Graphic materials: Dye-sublimated fabric & UV prints on 6mm sintra	Header can be upgraded to frosted plex
---	--

nimlok


pulse

Parts included			
Part Label	Qty	Part Label	Qty
1	x1	11B	x1
2	x1	12B	x1
3	x1	13B	x1
4	x1	14B	x1
5	x1	15B	X1
6	x1	16B	X1
7	x1	Feet	x2
8	x1	Header Clamp	x2
9	x1	Foreground Graphic	x1
10	x1		x1
11	x1	Background Graphic	x1
12	x1	Header Graphic	x1
13	x1	Tool	x1
14	x1		
15	x1		
1B	x1		
2B	x1		
3B	x1		
4B	x1		
5B	x1		
6B	x1		
7B	x1		
8B	x1		
9B	x1		
10B	x1		





Step 1. Assemble background frame

Lay pieces out flat and assemble in numerical order as shown. Numbers will be on the back side of the tube. When frame is complete, stretch background graphic over the frame starting at the top. Pull tightly all the way down assuring holes in graphic align with knobs on frame and secure with zipper.






Note: Knobs should face forward when frame stands upright.



Graphic will fit snugly over the frame with the zipper at the bottom.


Step 2.

Attach feet to background frame using detail shown below. Stand unit upright. Adjust the height of feet to ensure display is level.





Step 3. Assemble foreground frame

Lay pieces out flat and assemble in numerical order as shown. Numbers will be on the back side of the tube. When frame is complete, stretch foreground graphic over the frame starting at the bottom. Pull tightly all the way up assuring holes in graphic align with knobs on frame and secure with zipper.






Note: Knobs should face backwards when frame stands upright.




Graphic will fit snugly over the frame with the zipper at the top.

Step 4. Attach foreground frame to background frame
Attach two units together using 14B, 15B and 16B.



Step 5.

Attach header to foreground frame where designated in diagram. Use tube clamp and header attachment detail below.



TUBE CLAMP & HEADER

Attach header/graphic to part A. Place part A against tube. Gently tighten part B using hex key.

