


IMPORTANT:

For full graphic requirements and upload instructions visit...
<http://www.american-image.com/trade-show-displays/submit.shtml>

10% SCALE
GRAND SKIRT



Color/Resolution:

- 1) Our gazebo printer is closely calibrated to the PMS (Pantone Matching System) Coated chart. Wherever possible please use these process colors for your submitted artwork. For raster images, please save them in CMYK format for the closest color match.
- 2) All photorealistic artwork is printed 100 dpi (dots per inch) at the full 100% size. As this template is 10% scale, please be sure all placed/raster images are at least 1000 dpi at the 10% size.

Grand Gazebo Skirt Artwork Placement/Measurements:


Bleed Area (Cut Size): Outer White Rectangle) - 342" Wide x 38" Tall
We strongly recommend that you use this guide line for the edge of fills, raster images, etc. Even though it's not usually visible from the outside, as the vinyl this is being printed on is stretchy and is hand sewn, it is best to use this as the fill area to avoid the possibility that the wrong color may show at the seam.

Viewable Area (Finished Size): Darker Grey Rectangle - 334" Wide x 36" Tall
This guide line shows you what will be seen once the vinyl has been sewn.

Edge of Stitching: 3rd Rectangle in /white/ - 329.5" Wide x 34" Tall
This guide line is to show you approximately where the seam will be sewn onto the skirt.


Maximum Print Area (Foreground) Per Flat Side (Innermost Lt Grey Rectangles): 55" Wide x 30" Tall
This is an approximation for your use in centering logos/images. These outlines do not preclude images wrapping around the skirt, they merely show where the center of interest should lie.

Center of Corner Swivel (Edge of Flat Side): 4 taller vertical lines - As shown in the figure (above/right) each corner of the gazebo frame has a flat (approx 7.25") corner swivel around which the skirt wraps. Each of the "Max Print Area" rectangles has a white stroked rectangle around it. This area shows where the large 5 flat sides are, the narrow vertically oriented rectangles with the long vertical lines through them show the space taken by the corner swivels.



Gazebo Skirts:

Gazebo skirts are one continuous piece of vinyl wrapped around 5 of the 6 flat sides of the hexagonal frame.



IMPORTANT:

For full graphic requirements and upload instructions visit...

<http://www.american-image.com/trade-show-displays/submit.shtml>

10% SCALE


GRAND TOP PANEL



Color/Resolution:

1) Our gazebo printer is closely calibrated to the PMS (Pantone Matching System) Coated chart. Wherever possible please use these process colors for your submitted artwork. For raster images, please save them in CMYK format for the closest color match.

2) All photorealistic artwork is printed 100 dpi (dots per inch) at the full 100% size. As this template is 10% scale, please be sure all placed/raster images are at least 1000 dpi at the 10% size.



Gazebo Top Construction:

Each Gazebo Top (canopy) is made of 6 of these panels stitched together (in a dome-like configuration) with a small round "plug" at the very top. If you are designing artwork for more than one panel, please label the panels (1-6) in the order you would like them sewn.


If you are printing all 6 panels, we will be printing the plug as well. Though one cannot see more than the edge of the plug from the ground, we will be happy to print the plug in whatever matching or contrasting color you would prefer. Please be sure to specify this if you have a preference, otherwise it will be white.

Grand Gazebo Top Artwork Placement:


Bleed Area (Cut Size): Outer Lighter Grey Shape - We strongly recommend that you use this guide line for the edge of fills, raster images, etc. Even though it's not usually visible from the outside, as the vinyl this is being printed on is stretchy and is hand sewn, it is best use this as the fill area to avoid the possibility that the wrong color may show at the seam.

Viewable Area (Edge of Seam): White Inner Shape - This guide line is to show you approximately where the seam will be sewn into the panel.

Logo Placement (Foreground): Dark Grey Inner Shape - This is a rough approximation. A logo (or center of interest) should be placed no lower than 3.5" from the center of the bottom & placed no higher than 19" from the center of the top. (As the top canopy curves back into the dome shape, you will lose part of your logo/center of interest if it's too high on the panel.)



10% Scale Grand Gazebo Door Panel



Grand Gazebo Door Panel Artwork Placement:

Bleed Area (Cut Size): Outer White Rectangle - 67" wide x 38" tall - We strongly recommend that you use this guide line for the edge of fills, raster images, etc. Even though it's not usually visible from the outside, as the vinyl this is being printed on is stretchy and is hand sewn, it is best use this as the fill area to avoid the possibility that the wrong color may show at the edge.

Viewable Area (Finished Size): Middle Dark Grey Rectangle - 61.5" wide x 36" tall - This guide line shows you what will be seen once the vinyl has been sewn.

Edge of Stitching: 3rd Rectangle in /white/ - 56.5" wide x 34" Tall This guide line is to show you approximately where the seam will be sewn onto the into the panel.

Logo Placement (Foreground): Innermost Lt. Grey Rectangle - 52" wide x 30" tall - We recommend that a logo (or center of interest) should be placed within this rectangle to avoid being too near the seam or edge of the panel.

IMPORTANT:

For full graphic requirements and upload instructions visit...

<http://www.american-image.com/trade-show-displays/submit.shtml>

Color/Resolution:

1) Our gazebo printer is closely calibrated to the PMS (Pantone Matching System) Coated chart. Wherever possible please use these process colors for your submitted artwork. For raster images, please save them in CMYK format for the closest color match.

2) All photorealistic artwork is printed 100 dpi (dots per inch) at the full 100% size. As this template is 10% scale, please be sure all placed/raster images are at least 1000 dpi at the 10% size.